


DEPARTMENT OF PUBLIC WORKS

Mark L. Wetzel, P.E., Superintendent
Daniel Van Schalkwyk, Town Engineer
Pamela J. Martin, Business Manager



25 BROOK STREET
AYER, MASSACHUSETTS 01432
T: (978) 772-8240
F: (978) 772-8244

MONTHLY REPORT March, 2016

Below is a summary of the Ayer DPW's operations for the month of March. In addition to the items below, there are many ongoing projects in various stages that the DPW staff are involved with. If additional detail or information is needed, please let us know.

Engineering and Administration

- Continuing to implement Mobile 311 Work Order Management / Asset Management Software
- Beginning to implement Maintenance Edge for WWTP, Spec Pond WTP and Grove Pond WTP
- Working on GIS mapping and condition assessments of drainage and sewer system
- Active involvement in Comprehensive Plan Committee
- Completed and **submitted** Green Communities Grant Application for LED conversion of Streetlights
- Completed design of West Main Street Pumping Station and **advertised for bids**
- Prepared and **submitted** Complete Streets Policy and was approved by MassDOT
- Issued RFP and awarded Ayer Dog Park design to CDM-Smith
- Started West Main Street Culvert engineering
- Design of Water Division Garage
- Design of Fuel Station Canopy
- Construction coordination for Pingry Hill Water Tank
- Completed final design of Pleasant Street CDBG grant improvement project and **advertised for bid**
- Completed design of 2016 through 2018 Road Paving Spec and **advertised for bids**
- Managed meter upgrade project including scheduling and computer account changes
- Quarterly water and sewer bills were prepared and sent out for 3 routes
- Reviewed and responded to questions and issues related to water and sewer bills
- Processed and approved Road Opening Permits, Trench Permits and Water & Sewer Connection Permits

Highway Division

- Hired new employee, Mike Fleming
- Repaired pot holes and shoulders throughout town
- Plowing and ice treatment for 2 snow events and one ice event
- Installed new signs at various locations in town
- Repaired 3 catch basins
- Installed new drain pipe on Groveland Street
- Performed beaver dam debris removal at the usual locations
- Repairing street sweep and mowing equipment
- DPW garage / facility maintenance
- Equipment and vehicle maintenance
- Trash and recycling pickup at numerous locations in town

DPW March 2016 Monthly Report

- Completed DIGSAFE mark-outs

Water Division

- Added data to H2O Water Reporting software and **submitted** reports to MADEP
- Maintenance of chemical feed systems at Grove Pond WTP
- Maintenance of chemical feed systems at Spec Pond WTP
- Completed KOH installation at Spec Pond WTP
- **Submitted** Annual Statistics Report for MADEP
- Continued radio water meter installations throughout Town
- Completed required DEP monthly coliform and chlorine sampling
- Completed meter readings and assisted customers with leak evaluations and dirty water issues
- Completed DIGSAFE mark-outs
- Normal water treatment duties including daily testing and reports, chemical adjustments, equipment maintenance
- Attended NEWWA Operators Conference to continue training and comply with license requirements

**SUMMARY OPERATIONS REPORT FOR
AYER DPW WATER DIVISION**

Month/Year: 2016-03-01 To: 2016-04-01

PWS NO.: 2019000

Submitted By:

Detail/Description	Values					
Pump and Flow Information	Total	Average	Maximum	Minimum	Days	Hours
WTFGP - Backwash	3,487,000	108,969	195,000	24,000	32	0.00
WTFGP - Raw Water	25,796,000	806,125	1,476,000	98,000	32	0.00
WTFSP - Raw Water	15,438,000	482,438	964,000	11,000	32	0.00
Chemical Feed Information	Volume/Weight	Pounds	Avg Dosage (mg/L)			
KMnO4 - WTFSP	1,453.00	348.72	2.87			
NaOCl - WTFSP	656.00	656.00	5.73			
Water Quality Information	Chlorine Analyzer (Free)	Iron (Total)	Manganese (Total)	pH	pH Analyzer	Turbidity
WTFSP - Finished Water	0.060	0.025	0.071			0.063

•

Wastewater Division

- All NEPS permit requirements were in compliance for the month of March
- Total flow for the treatment plant was 48.4 million gallons with an avg. of 1.55 mgd
- Contractor hauled 16 loads of sludge.
- Implemented Mobile 311 into daily Pumping Station maintenance.
- Performed mechanical maintenance on two pump stations, including pulling pumps and inspecting bearings and seals, plus replacing vacuum lines and cleaning or replacing globes.
- Fixed check valve problem at Oak Ridge 2 Station
- Washed down secondary clarifiers and cleaned UV system.\
- Jetting and cleaning of sewer blockage Sandy Pond Road, Rosewood area, Scully Road
- Performed daily inspections of wastewater pumping stations

DPW March 2016 Monthly Report

- Performed daily operations, laboratory testing and reporting for WWTP
- Completed DIGSAFE mark-outs
- Completed and **submitted** Monthly Operations Report for DEP and EPA

Solid Waste Division

- Normal transfer station operations including site clean-up, organization and monthly reports
- Leaf hauling to brush dump / compost area off Bishop Road
- Coordinated solid waste / recycling disposal including waste oil, scrap metals, textiles

Address	Street Name	Work Type	Date Flagged	Flagged By	Description	Comments
25	Brook St	Main St Trash	3/11/2016 9:44:38 PM	bburns@ayer.ma.us		Mike F and Bruce put trash barrels out at the ponds Sink hole next to basin and brick repair used 30 brick and 2 bags of concrete Dave mike F and Bruce worked on basin repair Reset school bus post and sign Dave and Bruce put new breakaway base in and put sign and post back up
49	park st	Catch Basin Repair	3/14/2016 7:12:27 PM	bburns@ayer.ma.us		Bruce filled pothole with cold patch Bruce racked out corner from plow damage Bruce picked up sign for town hall and returned it to town hall
0	Groton school rd	Add New Sign	3/23/2016 9:55:02 PM	bburns@ayer.ma.us		Crabtree and hicks development is all cleaned up from plow damage. Bruce raked loamed and seeded as needed
0	E main by court house	Pot Hole	3/24/2016 4:41:31 PM	bburns@ayer.ma.us		Bruce raked loamed and seeded plow damage as needed on side roads off of sandy pond Rd
44	pine ridge dr	Misc Street Maintenance	3/24/2016 6:40:01 PM	bburns@ayer.ma.us	Plow damage	Picked up Dead Beaver Pickup dead wood chuck Plug mill patched potholes on all of Groton Shirley Rd
0	rotary	Misc Special Event	3/24/2016 7:33:54 PM	bburns@ayer.ma.us	Pick sign up for town hall	Inspected the whole section of guardrail between New England Way & Nemco Way and found that 15 rail panels need to be replaced and 5 posts
46	Westford Rd	Misc Street Maintenance	3/24/2016 9:40:48 PM	bburns@ayer.ma.us		Plug mill patched Snakehill Rd & Clavin St & Wright Rd potholes
0	sandy pond rd	Misc Street Maintenance	3/24/2016 11:11:26 PM	bburns@ayer.ma.us	Plow damage	
150	central ave	Dead Animal Removal	3/4/2016 9:58:24 PM	djaspersen@ayer.ma.us		
5	park st	Dead Animal Removal	3/4/2016 10:01:21 PM	djaspersen@ayer.ma.us		
1	Groton Shirley Rd	Pot Hole	3/4/2016 10:02:26 PM	djaspersen@ayer.ma.us		
25	Westford Rd	Service Req - Investigation - Highway	3/4/2016 10:05:22 PM	djaspersen@ayer.ma.us	Check out guardrail out Westford Rd for damage as was!	
25	Brook St	Pot Hole	3/4/2016 10:19:01 PM	djaspersen@ayer.ma.us		
32	Grove St	Detent. Basin Cleaning	3/11/2016 7:17:37 AM	djaspersen@ayer.ma.us	Cross over drain pipe replacement and rebuild storm	Highway crew R & R cross over
25	Brook St	Catch Basin Repair	3/11/2016 1:44:36 PM	djaspersen@ayer.ma.us		Park St catch basin repair a cross of Brook St Pulled Street sweeper out of storage up to shop on March 10th 2016 to get it set up for spring Street sweeping and town cleanup
25	Brook St	Street Sweeping	3/11/2016 5:48:47 PM	djaspersen@ayer.ma.us	Get Sweeper Ready For Spring Cleanup	Mike M and Wally are doing a few small repairs welding etc to get it ready. Pulling sidewalk broom out of storage to get it installed on the MB to have it ready to clean the sidewalks for spring town cleanup
25	Brook St Working on getting Truax Corp in to do some drainage pipe cleaning and camera inspections of some problem spots drainage and roads that are on the paving this for this year. Doug & Wally should have the list done by middle of next week.	Sidewalk Sweeping	3/11/2016 5:51:15 PM	djaspersen@ayer.ma.us		
		Catch Basin Clean Out	3/11/2016 5:59:36 PM	djaspersen@ayer.ma.us	Camera & Jetting of Storm water Basins and Drain Pipes in Stated areas	Need to setup the marking of catch basins for this year's storm water permit. The guys added 3 more 2 Hour Parking signs on the Main Street by the card shop
67	Main St	Add New Sign	3/14/2016 2:16:24 PM	djaspersen@ayer.ma.us	Add 3 New 2 hour parking signs	

1	Main St	Add New Sign	3/14/2016 2:21:01 PM	djaspersen@ayer.ma.us	No U-Turn sign across the street from the Town Hall	Guys installed a new No U-Turn sign across the street from the Town Hall in the East Bound Lane going out of town prep order of the BOS
0	Doug & Robin GPS all guardrails and ch	Service Req - Investigation - Highway	3/14/2016 11:12:34 PM	djaspersen@ayer.ma.us		
156	Central Ave	Street Sweeping	3/15/2016 9:06:43 PM	djaspersen@ayer.ma.us	Street Sweeper Training for Mike F	Had Bruce B take Mike F and do a little training on the sweeper
0	Mike F and Bruce did Main Street trash today. They did Town Hall trash Monday	Main St Trash	3/15/2016 9:47:26 PM	djaspersen@ayer.ma.us		
83	W Main St	Street Sweeping	3/16/2016 3:14:39 PM	djaspersen@ayer.ma.us		Dave M and Mike F are going to start sweeping the Main Street and other mains today to start the spring Street cleanup.
95	W Main St	Sidewalk Sweeping	3/17/2016 3:44:23 PM	djaspersen@ayer.ma.us		Sidewalk sweeper is out starting with West main St Bruce B
95	W Main St	Street Sweeping	3/17/2016 3:51:05 PM	djaspersen@ayer.ma.us		Mike F and Dave M are out working on around 1 of sweeping the Main Roads in town today starting with Groton Harvard Rd Wed they did West Main the Main St East Main Littleton Rd down to Shaker Rd and Harvard Rd and Central Ave.
95	W Main St	Misc Vehicle Work	3/17/2016 3:56:57 PM	djaspersen@ayer.ma.us	New Basin Repair Trailer	Wed Wally and Bruce started setting up the New Storm Water Catch Basin Repair trailer Wally today (Thursday) is going to finish it up.
95	W Main St East St checking out home owner complaint of storm water road run off into there yard. may need to install hot top burm to steer water down the road to the next basin found a low spot were water is entering yard	Misc Vehicle Work	3/17/2016 3:57:52 PM	djaspersen@ayer.ma.us	Coolant Leak Cat Backhoe	Mike W is checking out and repairing a coolant leak he found doing a service on the highway Cat Backhoe.
7		Complaint/Investigation - Stormwater	3/17/2016 7:40:43 PM	djaspersen@ayer.ma.us	storm water run off into home owners yard from East street	
58	E Main St Storm Water basin repair	Catch Basin Repair	3/18/2016 3:36:18 PM	djaspersen@ayer.ma.us		Catch basin needs to be repaired frame is sinking on back side bricks and blocks are falling apart.
0	Mike F & Dave M are out doing town t	Main St Trash	3/18/2016 3:46:49 PM	djaspersen@ayer.ma.us		Bruce Dave M & Mike F are repairing the basin today 3\31\2016 we used 4 bags of concrete 40 bricks and 7 block
0	Old Plastic Sand Box on side of Littleto	Misc Street Maintenance	3/18/2016 4:23:14 PM	djaspersen@ayer.ma.us		Mike F & Dave M are out doing weekly town trash on the Main St Town Hall & Main DPW Garage Wally & Doug picked up old plastic sand box on side of road and took it to dump

95	W Main St	Street Sweeping	3/18/2016 4:25:36 PM	djaspersen@ayer.ma.us	Main Roads Sweeping	Mike F & Dave M are going to be out sweeping again today finishing up the Main roads they will have the first round of the main roads done today and then they will be starting the different town road sections as I have them setup to be done.
95	W Main St	Equipment Preparation	3/18/2016 4:26:53 PM	djaspersen@ayer.ma.us	Getting Sanders and plows setup	Getting set up for the winter storm coming in Sun into Mon getting one sander reinstalled in truck #13 6 wheeler and getting sidewalk plows on and installing plows on to trucks.
1	Norwood Ave	Snow Plowing	3/21/2016 4:12:35 PM	djaspersen@ayer.ma.us	Small Plowable March Snow Storm 3\21\2016	We the highway Dept got called in at 2:30 am to salt the town roads the snow picked up and we are now out plowing the town roads we are stated to get 2 to 4 inches of snow we have gotten around 3+ so far.
23	Shirley St	Sidwalk Snow Plowing	3/21/2016 9:04:53 PM	djaspersen@ayer.ma.us	Sidewalk Plowing after snow storm.	Got everything cleaned up by 11:30 am Schools etc.
95	W Main St	Roadway Ice Operations	3/22/2016 3:53:24 PM	djaspersen@ayer.ma.us		Sent out both sidewalk plows to cleanup all main road sidewalks
95	W Main St	Repair Work	3/22/2016 3:56:33 PM	djaspersen@ayer.ma.us	Heater Core Repair in the Brig sander	Unloading & cleaning washing etc all Sanders and trucks from Sundays into Mondays small snow storm .
95	W Main St	Misc Vehicle Work	3/22/2016 4:19:27 PM	djaspersen@ayer.ma.us	Eng is loading up needs a highway drive	Wally is working on heater core on the old Brig backup sander that let got dering the snow storm.
3	Mill St Park St The highway Dept is here at the	Add New Sign Field Meeting - Highway	3/22/2016 9:09:35 PM 3/22/2016 9:57:44 PM	djaspersen@ayer.ma.us djaspersen@ayer.ma.us	No Parking Sign	Wally reinstalled repaired hearted core in the Brig sander 3\28\2016
95	W Main St	Misc Vehicle Work	3/23/2016 3:29:55 PM	djaspersen@ayer.ma.us	Finish up cleaning trucks from small snow storm	Chev 1 ton H1 is loading up again so we need to take it for a highway run to clear it out.
95	W Main St	Street Sweeping	3/23/2016 3:38:32 PM	djaspersen@ayer.ma.us	Friday Main Street Sweeping and then start first spring sweeping section	Bruce and Wally installed New No Parking Sign across from Subway Sub Shop on Mill St.
0	Main St Trash Pickup	Main St Trash	3/23/2016 3:44:25 PM	djaspersen@ayer.ma.us		We have a couple more trucks to clean this morning.
88	Groton Shirley Rd	Dig-Safe - Highway	3/23/2016 3:52:58 PM	djaspersen@ayer.ma.us	Mark Out Dig Safe	Pulling the sweeper back out of the tank garage making sure it's all greased up for sweeping Friday morning on the main street and then start the first section off the spring sweeping list.
	Sign Repair at High School that was brc Repair Broken Sign		3/23/2016 3:49:36 PM	djaspersen@ayer.ma.us	Stop sign repair at High School	Mike F and Dave M did the Main St Trash pickup plus Town Hall trash on Tuesday because we were dealing with snow on Monday.
						Bruce fixed and replaced broken Stop Sign that was broken by a town plow truck at High Schools new parking lot.
						There are no town storm water drains on Groton Shirley Rd

4	Moore Dr Dig Safe	Dig-Safe - Highway	3/23/2016 4:12:29 PM	djaspersen@ayer.ma.us	REM&REPL W\expansion of driveway	<p>Marked storm water drain line Contractor Del Vecchio paving</p> <p>BondBrothers Contractor are trenching for elec conduit\water\tele lines for Nat'l Grid</p> <p>No mark out needed no town drains on CPF's land out behind main building.</p> <p>Another Dig Safe request for the same location as the one from earlier today but for inside the fenced area just used the same markings from this morning.</p> <p>Wally & Mike W are rebuilding the front bucket pistons on the Cat Backhoe</p> <p>Mike F & Dave M are out starting the first section on the spring sweeping list which is the West End off of West Main St</p> <p>Reinstalling sidewalk broom on M-B tractor to sweep the DCR State Rail Trail today.</p> <p>Bruce is heading over to sweep Rail Trail from the Main Street all the way to Smith Street in Groton as requested by town residents that use the trail.</p> <p>Remove and reset School Bus Stop Ahead sign behind guardrail on Littleton Rd by Littleton Line Apt Bruce reset post and sign</p> <p>We are going to put out Town crosswalk signs today</p> <p>No Street sweeping today do to the weather and rain</p> <p>Opening up beaver by bridge on Barum Rd</p> <p>Mike F & Dave M did all of the town trash today Main St & Town Hall etc.</p> <p>Installing New Main Broom on Sweeper plus replacing one gutter broom No sweeping today do to to much rain</p> <p>Picked up the remains of dead bird</p> <p>Stump Grinding</p> <p>Digging test holes at old gas station off of West Main St</p>
65	Westford Rd	Dig-Safe - Highway	3/23/2016 4:24:54 PM	djaspersen@ayer.ma.us	Trenching	
25	Copeland Dr	Dig-Safe - Highway	3/23/2016 4:38:21 PM	djaspersen@ayer.ma.us	Footings	
65	Westford Rd	Dig-Safe - Highway	3/23/2016 6:08:00 PM	djaspersen@ayer.ma.us	Another Nat'l Grid	
131	W Main St	Repair Work	3/23/2016 6:14:04 PM	djaspersen@ayer.ma.us	Cat Backhoe front bucket Repair.	
131	W Main St	Street Sweeping	3/23/2016 6:18:30 PM	djaspersen@ayer.ma.us		
131	W Main St	Sidewalk Sweeping	3/23/2016 6:25:44 PM	djaspersen@ayer.ma.us	Sweep State DCR Rail Trail.	
	Littleton Rd	Repair Broken Sign	3/23/2016 10:20:20 PM	djaspersen@ayer.ma.us	Reset leaning sign	
25	Brook St	Misc Sidewalks	3/25/2016 4:22:06 PM	djaspersen@ayer.ma.us	Crosswalk Street Signs	
25	Brook St	Street Sweeping	3/25/2016 4:22:36 PM	djaspersen@ayer.ma.us	No Sweeping	
	Barnum Rd	Misc Stormwater Work Order	3/25/2016 7:55:49 PM	djaspersen@ayer.ma.us	Beaver Dam Control	
25	Brook St	Main St Trash	3/25/2016 8:12:19 PM	djaspersen@ayer.ma.us		
25	Brook St	Street Sweeping	3/28/2016 5:28:15 PM	djaspersen@ayer.ma.us	Sweeper Main Broom	
93	Sandy Pond Rd	Dead Animal Removal	3/28/2016 5:35:48 PM	djaspersen@ayer.ma.us		
51	Haymeadow Ln	Dig-Safe - Highway	3/28/2016 6:16:02 PM	djaspersen@ayer.ma.us		
1	Main St Town Hall	Dig-Safe - Highway	3/28/2016 6:17:17 PM	djaspersen@ayer.ma.us	Stumps	
215	West Main St	Dig-Safe - Highway	3/28/2016 6:24:49 PM	djaspersen@ayer.ma.us	Test Holes	

	Ayer Court House	Misc Signs	3/28/2016 9:14:22 PM	djaspersen@ayer.ma.us	Move Sign	Ayer Court House would like us to relocation of Ayer Housing & Town Park sign that is on their property on the corner of School St and East Main St. I am meeting with Ray the Building Manager this week to go over where we can relocate the signs. We are going to move the Ayer Housing & Town Park sign across to the other corner on East Main & School St. Need to order 2 new town park signs to replace old signs. Mike F & Dave M did all of the Main St & Main Garage & Town Hall and Town barrel's by Sandy Pond & Grove Pond & Fannies Pond trash today. Repairing Car Killer pot hole in front of Ayer Court House saw cut the pot hole and going to do a temp patch with pug mill. Pot hole is fixed took 4 batches of plug Mill mix to fix it. Doug - Bruce - Wally Mike F & Dave M are sweeping the East End today.
0	Main Street	Main St Trash	3/28/2016 9:29:08 PM	djaspersen@ayer.ma.us		
25	E Main St	Pavement Repair	3/29/2016 4:05:47 PM	djaspersen@ayer.ma.us	Big Pot Hole	
	East End	Street Sweeping	3/29/2016 7:57:50 PM	djaspersen@ayer.ma.us	Street Sweeping Spring 2016	
21	Loon Hill Rd	Dig-Safe - Highway	3/29/2016 10:22:40 PM	djaspersen@ayer.ma.us	installing fence	
27	Mountain Laurel Rd	Dig-Safe - Highway	3/29/2016 10:25:02 PM	djaspersen@ayer.ma.us	lawn sprinkler	
	Fitchburg Rd by Funeral Home	Dig-Safe - Highway	3/29/2016 10:27:18 PM	djaspersen@ayer.ma.us	Drainage Work	State Drains nothing for us to mark out Doug & Wally fixed town light pole banner bar for town light pole banners Doug & Wally repaired railing on foot bridge that Go's over James Brook Clean up salt at wash area
	Main St by Post Office	Street Flags	3/29/2016 10:29:41 PM	djaspersen@ayer.ma.us		
0	Groton School Rd	Service Req - Investigation - Highway	3/29/2016 10:39:56 PM	djaspersen@ayer.ma.us		
25	Brook St	Misc Debris Removal	3/8/2016 11:07:27 PM	mwetzel@ayer.ma.us	tire moved to side of East Main St. by police-across from	
68	E Main St	Misc Sidewalks	3/7/2016 7:24:50 AM	pmartin@ayer.ma.us		Mike F and Bruce placed loam and grass seed to fix plow damage
69	Washington St	Dig-Safe - Highway	3/9/2016 9:08:35 AM	pmartin@ayer.ma.us	Plow damage in yard	
	Groton School Rd	Misc Sidewalks	3/29/2016 7:35:07 AM	pmartin@ayer.ma.us	Wood guard rail on foot bridge near Amandrey Way is detached	Cleaned check valves,solenoids,globes,electrodes and also replaced gaskets Replaced check valve on pump #2 also cleaned electrode's, globes,solenoids and also replaced gaskets Had to reprime pump #1 Had to reprime pump #2 station running good Pump station running good Pumps are running good
0	Pond view pump station #2	Check Controls/Alarms	3/1/2016 9:19:09 PM	rhudson@ayer.ma.us		
0	Pondview #1 pump station	Check Controls/Alarms	3/1/2016 9:21:34 PM	rhudson@ayer.ma.us		
0	Pondview #2 pump station	Check Controls/Alarms	3/2/2016 7:23:16 PM	rhudson@ayer.ma.us		
0	Pondview #1 pump station	Check Controls/Alarms	3/2/2016 7:24:22 PM	rhudson@ayer.ma.us		
0	Winterberry pump station	Check Controls/Alarms	3/2/2016 7:25:10 PM	rhudson@ayer.ma.us		
0	Crabtree pump station	Check Controls/Alarms	3/2/2016 7:25:58 PM	rhudson@ayer.ma.us		
0	Stoneybrook pump station	Check Controls/Alarms	3/2/2016 7:27:16 PM	rhudson@ayer.ma.us		

0	Willow road pump station	Check Controls/Alarms	3/2/2016 7:28:09 PM	rhudson@ayer.ma.us	Pumps are running good
0	Bennett's pump station	Check Controls/Alarms	3/2/2016 7:30:08 PM	rhudson@ayer.ma.us	Pump station running good
0	Oak ridge #2 pump station	Check Controls/Alarms	3/2/2016 7:34:07 PM	rhudson@ayer.ma.us	Pumps are running good
					Pump #2 has been shut off and have Tim Katz coming out on 3/3/2016 to figure out why it keeps losing prime. Pump #1 is running good
0	Oakridge #1 pump station	Check Controls/Alarms	3/2/2016 7:36:10 PM	rhudson@ayer.ma.us	Station is running good
0	Hedgeway pump station	Check Controls/Alarms	3/2/2016 7:37:19 PM	rhudson@ayer.ma.us	Station is running good
0	Wrightway pump station	Check Controls/Alarms	3/2/2016 7:37:59 PM	rhudson@ayer.ma.us	Station is running good
0	Moore Drive pump station	Check Controls/Alarms	3/2/2016 7:39:05 PM	rhudson@ayer.ma.us	Station is running good
0	Washington St. pump station	Check Controls/Alarms	3/2/2016 7:39:46 PM	rhudson@ayer.ma.us	Station running good
0	AutumnRidge pump station	Check Controls/Alarms	3/2/2016 7:40:37 PM	rhudson@ayer.ma.us	Pumps are running good
0	Groton School Road pump station	Check Controls/Alarms	3/2/2016 7:41:27 PM	rhudson@ayer.ma.us	Pumps are running fine
0	Pheasant Circle pump station	Check Controls/Alarms	3/2/2016 7:43:20 PM	rhudson@ayer.ma.us	Station running good
0	West Main St. pump station	Check Controls/Alarms	3/2/2016 7:44:58 PM	rhudson@ayer.ma.us	pumps working good
0	Pheasant pump station	Check Controls/Alarms	3/3/2016 7:30:19 PM	rhudson@ayer.ma.us	pumps are running good
0	Groton School Road pump station	Check Controls/Alarms	3/3/2016 7:31:27 PM	rhudson@ayer.ma.us	pumps are running good
0	Moore Drive pump station	Check Controls/Alarms	3/3/2016 7:32:29 PM	rhudson@ayer.ma.us	pumps and running good
0	Washington pump station	Check Controls/Alarms	3/3/2016 7:33:10 PM	rhudson@ayer.ma.us	Had to reprime pump #2
0	Oakridge #2 pump station	Check Controls/Alarms	3/3/2016 7:34:12 PM	rhudson@ayer.ma.us	pump #2 is still off waiting for Tim Katz to work on it to see why its not keeping prime
0	Oakridge pump station	Check Controls/Alarms	3/3/2016 7:37:35 PM	rhudson@ayer.ma.us	pumps are running good
0	Stonybrook pump station	Check Controls/Alarms	3/3/2016 7:39:49 PM	rhudson@ayer.ma.us	pumps are running good
0	Crabtree pump station	Check Controls/Alarms	3/3/2016 7:40:33 PM	rhudson@ayer.ma.us	pumps are running good
0	Winterberry pump station	Check Controls/Alarms	3/3/2016 7:41:16 PM	rhudson@ayer.ma.us	pump #2 had to be reprimed
0	Pond view #1 pump station	Check Controls/Alarms	3/3/2016 7:42:09 PM	rhudson@ayer.ma.us	pump #1 had to be reprimed
0	Pond view #2 pump station	Check Controls/Alarms	3/3/2016 7:42:58 PM	rhudson@ayer.ma.us	pumps are running good
0	Willow Road pump station	Check Controls/Alarms	3/3/2016 7:43:52 PM	rhudson@ayer.ma.us	pumps are running good
0	Bennett's pump station	Check Controls/Alarms	3/3/2016 7:44:50 PM	rhudson@ayer.ma.us	station is running good
0	West main pump station	Check Controls/Alarms	3/3/2016 7:47:12 PM	rhudson@ayer.ma.us	station running good
0	West Main pump station	Check Controls/Alarms	3/4/2016 3:56:43 PM	rhudson@ayer.ma.us	pumps running good
0	Winter berry pump station	Check Controls/Alarms	3/4/2016 3:59:23 PM	rhudson@ayer.ma.us	station is good
0	Winterberry pump station	Check Controls/Alarms	3/4/2016 7:08:05 PM	rhudson@ayer.ma.us	pumps are running good
0	Crabtree pump station	Check Controls/Alarms	3/4/2016 7:10:49 PM	rhudson@ayer.ma.us	Pumps are running good
0	Pond view pump station	Check Controls/Alarms	3/4/2016 7:12:13 PM	rhudson@ayer.ma.us	Had to reprime pump #1, pump #2 was good
0	Pond view 2 pump station	Check Controls/Alarms	3/4/2016 7:13:56 PM	rhudson@ayer.ma.us	pumps are running good
0	Stony Brook pump station	Check Controls/Alarms	3/4/2016 7:15:27 PM	rhudson@ayer.ma.us	pumps are running good
0	Willows pump station	Check Controls/Alarms	3/4/2016 7:16:57 PM	rhudson@ayer.ma.us	pumps are running good
0	Bennetts crossing pump station	Check Controls/Alarms	3/4/2016 7:18:30 PM	rhudson@ayer.ma.us	pumps are running good
0	Central Ave pump station	Check Controls/Alarms	3/4/2016 7:20:27 PM	rhudson@ayer.ma.us	pumps are running good
0	Moore Dr pump station	Check Controls/Alarms	3/4/2016 7:21:49 PM	rhudson@ayer.ma.us	pumps are running good
	Derek Katz from Tim Katz services came	Pump/Compressor Maintenance	3/6/2016 3:27:17 PM	rhudson@ayer.ma.us	Derek Katz from Tim Katz services also worked on Pondview #2 the issue was a bad seat in the solenoid valve.
0	Crabtree pump station	Check Controls/Alarms	3/6/2016 3:28:32 PM	rhudson@ayer.ma.us	Pumps running good
0	Pondview #1 pump station	Check Controls/Alarms	3/6/2016 3:29:21 PM	rhudson@ayer.ma.us	pumps running good
0	Pondview #2 pump station	Check Controls/Alarms	3/6/2016 3:30:10 PM	rhudson@ayer.ma.us	pumps running good
0	Stonybrook pump station	Check Controls/Alarms	3/6/2016 3:30:53 PM	rhudson@ayer.ma.us	pumps running good
0	Willow Road pump station	Check Controls/Alarms	3/6/2016 3:31:37 PM	rhudson@ayer.ma.us	pumps running good
0	Bennetts pump station	Check Controls/Alarms	3/6/2016 3:32:27 PM	rhudson@ayer.ma.us	station running good

0	Oak ridge #1 pump station	Check Controls/Alarms	3/6/2016 3:34:49 PM	rhudson@ayer.ma.us	pumps running good
0	Oak ridge #2 pump station	Check Controls/Alarms	3/6/2016 3:35:25 PM	rhudson@ayer.ma.us	station running good
0	Groton School Road pump station	Check Controls/Alarms	3/6/2016 3:37:22 PM	rhudson@ayer.ma.us	station running good
0	Pheasant pump station	Check Controls/Alarms	3/6/2016 3:37:57 PM	rhudson@ayer.ma.us	pumps running good
0	West Main pump station	Check Controls/Alarms	3/6/2016 3:38:48 PM	rhudson@ayer.ma.us	station running good
0	West Main pump station	Check Controls/Alarms	3/7/2016 8:33:13 PM	rhudson@ayer.ma.us	station running fine
0	Main pump station	Check Controls/Alarms	3/7/2016 8:34:56 PM	rhudson@ayer.ma.us	pumps running good
0	Pheasant pump station	Check Controls/Alarms	3/7/2016 8:35:53 PM	rhudson@ayer.ma.us	had to reprime both #1 & #2 pumps
0	Groton School Road pump station	Check Controls/Alarms	3/7/2016 8:36:52 PM	rhudson@ayer.ma.us	pumps running good
0	Washington Street pump station	Check Controls/Alarms	3/7/2016 8:38:16 PM	rhudson@ayer.ma.us	station running good
0	Moore Drive pump station	Check Controls/Alarms	3/7/2016 8:38:52 PM	rhudson@ayer.ma.us	station running good
0	Oakridge #2 pump station	Check Controls/Alarms	3/7/2016 8:40:56 PM	rhudson@ayer.ma.us	pumps running good
0	Oakridge #1 pump station	Check Controls/Alarms	3/7/2016 8:42:18 PM	rhudson@ayer.ma.us	pumps running good
0	Hedgeway pump station	Check Controls/Alarms	3/7/2016 8:44:37 PM	rhudson@ayer.ma.us	station is running good
0	Wrightway pump station	Check Controls/Alarms	3/7/2016 8:45:14 PM	rhudson@ayer.ma.us	station running good
0	Bennett's pump station	Check Controls/Alarms	3/7/2016 8:46:00 PM	rhudson@ayer.ma.us	pumps running good
0	Willow Road pump station	Check Controls/Alarms	3/7/2016 8:46:47 PM	rhudson@ayer.ma.us	pumps running good
0	Stonybrook pump station	Check Controls/Alarms	3/7/2016 8:47:27 PM	rhudson@ayer.ma.us	pumps are running good
0	Pondview #2 pump station	Check Controls/Alarms	3/7/2016 8:48:12 PM	rhudson@ayer.ma.us	pumps running good
0	Pondview #1 pump station	Check Controls/Alarms	3/7/2016 8:49:17 PM	rhudson@ayer.ma.us	had to reprime pump #2
0	Winterberry pump station	Check Controls/Alarms	3/7/2016 8:52:22 PM	rhudson@ayer.ma.us	station running fine
0	Crabtree pump station	Check Controls/Alarms	3/7/2016 8:52:56 PM	rhudson@ayer.ma.us	pumps running good
0	West Main pump station	Check Controls/Alarms	3/9/2016 9:13:32 PM	rhudson@ayer.ma.us	station working good
0	Moore Drive pump station	Check Controls/Alarms	3/9/2016 9:14:19 PM	rhudson@ayer.ma.us	station running fine
0	Washington St. pump station	Check Controls/Alarms	3/9/2016 9:15:10 PM	rhudson@ayer.ma.us	station running good
6	Winterberry Ln	Check Controls/Alarms	3/9/2016 9:15:59 PM	rhudson@ayer.ma.us	Winterberry pump station
0	Crabtree pump station	Check Controls/Alarms	3/9/2016 9:16:57 PM	rhudson@ayer.ma.us	pumps running good
0	Pondview #1 pump station	Check Controls/Alarms	3/9/2016 9:17:45 PM	rhudson@ayer.ma.us	Had to reprime #2 pump
0	Pondview #2 pump station	Check Controls/Alarms	3/9/2016 9:18:35 PM	rhudson@ayer.ma.us	pumps running good
0	Stonybrook pump station	Check Controls/Alarms	3/9/2016 9:19:23 PM	rhudson@ayer.ma.us	pumps running good
0	Willow Road pump station	Check Controls/Alarms	3/9/2016 9:20:54 PM	rhudson@ayer.ma.us	pumps running good
0	Bennett's pumps station	Check Controls/Alarms	3/9/2016 9:21:33 PM	rhudson@ayer.ma.us	pumps running good
0	Oakridge #1 pump station	Check Controls/Alarms	3/9/2016 9:22:39 PM	rhudson@ayer.ma.us	pumps running good
0	Oakridge #2 pump station	Check Controls/Alarms	3/9/2016 9:23:11 PM	rhudson@ayer.ma.us	pumps running good
0	Pheasant pump station	Check Controls/Alarms	3/9/2016 9:24:34 PM	rhudson@ayer.ma.us	pumps running good
0	West Main pump station	Check Controls/Alarms	3/11/2016 6:51:45 PM	rhudson@ayer.ma.us	station running good
0	Pheasant pump station	Check Controls/Alarms	3/11/2016 6:52:45 PM	rhudson@ayer.ma.us	had to reprime pump #1 & #2
0	Washington St pump station	Check Controls/Alarms	3/11/2016 6:59:19 PM	rhudson@ayer.ma.us	station running good
0	Moore Drive pump station	Check Controls/Alarms	3/11/2016 7:00:05 PM	rhudson@ayer.ma.us	station running good
0	Oakridge #2 pump station	Check Controls/Alarms	3/11/2016 7:05:47 PM	rhudson@ayer.ma.us	pumps are running good
Bryan C. and Dave N. jetted the Rosew Jetting/Cleaning			3/15/2016 10:16:06 PM	rhudson@ayer.ma.us	
3-14-2016	Bryan C and Dave N jetted Sculley Rd, t Jetting/Cleaning		3/15/2016 10:30:03 PM	rhudson@ayer.ma.us	
	Dave N and Bryan C jetted Mark St and Jetting/Cleaning		3/18/2016 9:16:05 PM	rhudson@ayer.ma.us	
	Oakridge #2 pump station	Check Controls/Alarms	3/24/2016 10:33:05 PM	rhudson@ayer.ma.us	station running good
0	Oakridge #1 pump station	Check Controls/Alarms	3/24/2016 10:33:42 PM	rhudson@ayer.ma.us	station running good
0	Moore pump station	Check Controls/Alarms	3/24/2016 10:36:36 PM	rhudson@ayer.ma.us	station is running good
0	Washington pump station	Check Controls/Alarms	3/24/2016 10:37:14 PM	rhudson@ayer.ma.us	station is running good
0	Autumnridge pump station	Check Controls/Alarms	3/24/2016 10:38:19 PM	rhudson@ayer.ma.us	John L. says it s a brand new station
0	Pheasant pump station	Check Controls/Alarms	3/24/2016 10:39:44 PM	rhudson@ayer.ma.us	station running good

0	West Main St pump station	Check Controls/Alarms	3/24/2016 10:40:41 PM	rhudson@ayer.ma.us	station running good	
0	Bennetts pump station	Check Controls/Alarms	3/24/2016 10:41:40 PM	rhudson@ayer.ma.us	pump station running good	
0	Willow Road pump station	Check Controls/Alarms	3/24/2016 10:43:13 PM	rhudson@ayer.ma.us	station running good	
0	Stonybrook pump station	Check Controls/Alarms	3/24/2016 10:44:06 PM	rhudson@ayer.ma.us	station is running good	
0	Crabtree pump station	Check Controls/Alarms	3/24/2016 10:44:42 PM	rhudson@ayer.ma.us	station running good	
0	Winterberry pump station	Check Controls/Alarms	3/24/2016 10:45:15 PM	rhudson@ayer.ma.us	station running good	
0	Pond view #1 pump station	Check Controls/Alarms	3/24/2016 10:45:59 PM	rhudson@ayer.ma.us	had to reprime pump #2	
0	Pond view #2 pump station	Check Controls/Alarms	3/24/2016 10:46:40 PM	rhudson@ayer.ma.us	station running good	
0	Hedgeway pump station	Check Controls/Alarms	3/24/2016 10:47:23 PM	rhudson@ayer.ma.us	station pumping good	
0	Wrightway pump station	Check Controls/Alarms	3/24/2016 10:48:06 PM	rhudson@ayer.ma.us	pumps running good	
	Cains	Jetting/Cleaning	3/28/2016 10:26:45 PM	rhudson@ayer.ma.us	John Loomer and Bryan Copeland went to collect a sample from Cain's c/o to see if they were dumping on us again, when they opened the c/o it John Loomer and Bryan Copeland were asked to retrieve a sample from Cain's again and found their c/o was full again and the one McDonalds goes Quick surgery of commercial and industrial buildings for fire	
	Cains	Jetting/Cleaning	3/28/2016 10:40:13 PM	rhudson@ayer.ma.us	Daily lab	Worked with Thurber
60	Townwide	Misc Water Work Order	3/2/2016 9:11:24 PM	rlinde@ayer.ma.us	Inspect work and operate valves ongoing inspection of water service repair and operate introductory Excel Training	
60	Barnum Rd	Misc Water Work Order	3/2/2016 9:15:15 PM	rlinde@ayer.ma.us		
60	Barnum Rd	Misc Water Work Order	3/2/2016 9:16:16 PM	rlinde@ayer.ma.us		
60	Barnum Rd	Misc Water Work Order	3/2/2016 9:17:27 PM	rlinde@ayer.ma.us		
200	Washington St	Inspection - Water	3/2/2016 9:18:43 PM	rlinde@ayer.ma.us		
200	Washington Street	Inspection - Water	3/2/2016 9:20:56 PM	rlinde@ayer.ma.us	Town Hall Grove Pond	
60	Barnum Rd	Misc Water Work Order	3/2/2016 9:22:53 PM	rlinde@ayer.ma.us		
60	Barnum Rd	Misc Water Work Order	3/2/2016 9:24:13 PM	rlinde@ayer.ma.us		
	Townwide	Misc Water Work Order	3/2/2016 9:56:15 PM	rlinde@ayer.ma.us		
	Townwide	Bact-T Sampling	3/7/2016 10:12:49 PM	rlinde@ayer.ma.us		
	Brook St	Misc Water Work Order	3/7/2016 10:14:29 PM	rlinde@ayer.ma.us	Prepare for and attend	Brook St
					Daily Lab	
33	Barnum Rd	Misc Water Work Order	3/7/2016 10:16:10 PM	rlinde@ayer.ma.us	Grove Pond	
	3rd St	Misc Water Work Order	3/7/2016 10:18:38 PM	rlinde@ayer.ma.us		
33	3rd St	Misc Water Work Order	3/7/2016 10:19:32 PM	rlinde@ayer.ma.us	Spec and Grove Pond Booster, standpipe	
0	Barnum Rd	Water Service Work	3/11/2016 8:09:07 PM	rlinde@ayer.ma.us	Set up for and install all piping and air relief valves at Grove Finish air relief valves and clean Remove malfunctioning KOH pump prep for shipping and Fix Chlorine leak	
0	Barnum Rd	Water Service Work	3/11/2016 8:12:25 PM	rlinde@ayer.ma.us		
0	Barnum Rd	Water Service Work	3/11/2016 8:14:28 PM	rlinde@ayer.ma.us		
0	Barnum Rd	Water Service Work	3/11/2016 8:18:22 PM	rlinde@ayer.ma.us		
0	Grove Pond	Misc Water Work Order	3/11/2016 8:21:04 PM	rlinde@ayer.ma.us		
0	Grove Pond	Misc Water Work Order	3/11/2016 8:23:38 PM	rlinde@ayer.ma.us	Daily lab	Lab
0	Townwide	Water Quality Sampling	3/11/2016 8:25:55 PM	rlinde@ayer.ma.us	Daily Lab	Lab
2	Willard St	Meter Calibration	3/11/2016 8:28:58 PM	rlinde@ayer.ma.us	Bacteria and chlorine sampling	Complete
	Barnum Rd	Misc Water Work Order	3/14/2016 3:08:37 PM	rlinde@ayer.ma.us	Test meter OK	Work with A&D
					Practice 311	Practice 311

0	Brook St	Misc Water Work Order	3/14/2016 10:33:55 PM	rlinde@ayer.ma.us		Prepare for and attend Foremans meeting Take down filter, core sample and put back online
0	Grove Pond	Misc Water Work Order	3/14/2016 10:35:48 PM	rlinde@ayer.ma.us		Daily lab
0	Grove Pond	Misc Water Work Order	3/14/2016 10:39:25 PM	rlinde@ayer.ma.us		Daily rounds water facilities
0	Spec and Grove	Misc Water Work Order	3/14/2016 10:40:11 PM	rlinde@ayer.ma.us		Daily lab
0	Grove Pond	Misc Water Work Order	3/14/2016 10:42:19 PM	rlinde@ayer.ma.us		Daily lab
60	Barnum Rd	Misc Water Work Order	3/15/2016 12:54:25 PM	rlinde@ayer.ma.us	Daily lab	Daily rounds of all water facilities
60	Barnum Rd	Misc Water Work Order	3/15/2016 12:55:51 PM	rlinde@ayer.ma.us	Rounds	Confirmed at residence and flushed hydrants nearby until clear
27	Mountain Laurel Rd	Complaint/Investigation - Water	3/18/2016 9:55:43 AM	rlinde@ayer.ma.us	dirty water	Drain , air scour and backwash filter, core sample and put back in service
60	Barnum Road	Misc Water Work Order	3/18/2016 10:32:41 AM	rlinde@ayer.ma.us	Maint.	Clean yard at Grove, custodial at plant
60	Barnum Rd	Grounds Maintenance - Water	3/18/2016 10:41:05 AM	rlinde@ayer.ma.us		drain air scour ,core sample ,backwash and put filter back in service
60	Barnum Rd	Misc Water Work Order	3/18/2016 10:44:14 AM	rlinde@ayer.ma.us	plant maint	
75	Sandy Pond Rd	Homeowner Follow-Up - Water	3/18/2016 10:46:52 AM	rlinde@ayer.ma.us	locate service line	Assist property owner in locating water service
60	Barnum Rd	Misc Water Work Order	3/18/2016 10:48:55 AM	rlinde@ayer.ma.us	daily lab	daily lab
60	Barnum Rd	Misc Water Work Order	3/18/2016 10:49:56 AM	rlinde@ayer.ma.us	daily lab	daily lab
60	Barnum Rd	Misc Water Work Order	3/18/2016 10:51:10 AM	rlinde@ayer.ma.us	daily lab	daily lab
60	Barnum Rd	Misc Water Work Order	3/18/2016 10:54:19 AM	rlinde@ayer.ma.us	Repair leaking hatch on filter	Repair leaking hatch on filter at Grove Pond
	Through town	Misc Water Work Order	3/18/2016 10:55:54 AM	rlinde@ayer.ma.us	Daily rounds all water facilities	daily rounds all water facilities
60	Barnum Rd	Misc Water Work Order	3/18/2016 10:57:16 AM	rlinde@ayer.ma.us	daily rounds all water facilities	daily rounds all water facilities
60	Barnum Rd	Misc Water Work Order	3/18/2016 11:00:55 AM	rlinde@ayer.ma.us	service small equipt.	service small equipt.
60	Barnum Rd	Misc Water Work Order	3/18/2016 2:48:28 PM	rlinde@ayer.ma.us	Prepare for storm	Put plows on dept. vehicles and prepare for potential storm
0	throughout town	Misc Water Work Order	3/18/2016 6:12:46 PM	rlinde@ayer.ma.us		Daily rounds all water facilities
	Barnum Road	Misc Water Work Order	3/22/2016 12:09:20 PM	rlinde@ayer.ma.us	Plow roads thru-out town and	Plow and shovel
60	Barnum Rd	Misc Water Work Order	3/22/2016 12:18:46 PM	rlinde@ayer.ma.us	Daily rounds all water facilities	Daily rounds
60	Barnum Rd	Misc Water Work Order	3/22/2016 12:21:46 PM	rlinde@ayer.ma.us	Take down filter, air scour, core sample , backwash and put back	air scour and core sample
60	Barnum Rd	Misc Water Work Order	3/22/2016 12:26:27 PM	rlinde@ayer.ma.us	Begin servicing all small equip.	Service small equip.
60	Barnum Rd	Misc Water Work Order	3/22/2016 12:31:39 PM	rlinde@ayer.ma.us	admin	admin
60	Barnum Rd	Misc Water Work Order	3/22/2016 12:37:24 PM	rlinde@ayer.ma.us	chemical delivery both plants	chemical delivery
99	Barnum Rd	Grounds Maintenance - Water	3/25/2016 12:55:12 PM	rlinde@ayer.ma.us	Remove stumps, haul in large boulders to block entry into	Grove Grounds
99	Barnum Rd	Misc Water Work Order	3/25/2016 1:01:01 PM	rlinde@ayer.ma.us	Daily rounds	Daily rounds
99	Barnum Rd	Misc Water Work Order	3/25/2016 1:03:52 PM	rlinde@ayer.ma.us	Daily Lab	Daily Lab
60	Barnum Rd	Inspection - Water	3/25/2016 1:05:50 PM	rlinde@ayer.ma.us	Hydrant Mapping	Hydrant Mapping
60	Barnum Rd	Misc Water Work Order	3/25/2016 1:11:48 PM	rlinde@ayer.ma.us	Take down filter, air scour, core sample, backwash and put	Core sample filter
99	Barnum Rd	Misc Water Work Order	3/28/2016 12:43:59 PM	rlinde@ayer.ma.us	Daily Lab and rounds	Daily Lab and rounds
99	Barnum Rd	Misc Water Work Order	3/28/2016 12:45:31 PM	rlinde@ayer.ma.us	Prepare for and attend	Prepare for and attend Foremans meeting
99	Barnum Rd	Misc Water Work Order	3/28/2016 12:46:25 PM	rlinde@ayer.ma.us		
99	Barnum Rd	Grounds Maintenance - Water	3/28/2016 12:48:28 PM	rlinde@ayer.ma.us	Continue servicing small equip. and begin work on setting up	small equip service and trailer redo
200	Groton Rd	Misc Water Work Order	3/28/2016 9:48:31 PM	rlinde@ayer.ma.us	Survey Hospital for Cross	Survey Hospital
99	Barnum Rd	Misc Water Work Order	3/29/2016 2:46:54 PM	rlinde@ayer.ma.us	Daily rounds and lab	

99	Barnum Rd	Misc Water Work Order	3/29/2016 2:48:34 PM	rlinde@ayer.ma.us	plant maint, flush pumps ,	
99	Barnum Rd	Misc Water Work Order	3/29/2016 2:51:35 PM	rlinde@ayer.ma.us	change lines, flush and clean	plant maint Grove
99	Barnum Rd	Misc Water Work Order	3/29/2016 2:52:53 PM	rlinde@ayer.ma.us	Digsafe markouts	
99	Barnum Rd	Misc Water Work Order	3/31/2016 12:14:20 PM	rlinde@ayer.ma.us	Work on dist. trailer	work on dist trailer
99	Barnum Rd	Misc Water Work Order	3/31/2016 12:15:25 PM	rlinde@ayer.ma.us	Daily rounds	Daily rounds
					Daily lab	
						33 Calvin, Possibly snow plow damage to
						yard/driveway/street. Residents #978 394
33	Calvin St	Misc Street Maintenance	3/17/2016 2:50:24 PM	tlahtinen@ayer.ma.us	Plowing damage to	9356 Bruce raked,loamed and seeded I front
4	Bryan Way	Pot Hole	3/16/2016 3:32:12 PM	wwood@ayer.ma.us	driveway/street%3f	of 29,33&37 Calvin st all plow damage
						Pothole at the courthouse on east Main Street