



Luminaire Schedule								
Symbol	Qty	Label	Description	LLF	Luminaire Lumens	Luminaire Watts	Mounting Height	BUG Rating
■	56	LT-1 (PHASE 1)	LIGMAN: MC-10011-T2-W30	0.850	2050	22.4	2.5	N.A.
■	2	LT-1 (PHASE 2)	LIGMAN: MC-10011-T2-W30	0.850	2050	22.4	2.5	N.A.
□	20	LT-2A (PHASE 1)	MCGRAW: GLNA-AF-01-LED-E1-SL3-7030-HSS	0.850	4678	59	15	B1-U0-G2
□	9	LT-2A (PHASE 2)	MCGRAW: GLNA-AF-01-LED-E1-SL3-7030-HSS	0.850	4678	59	15	B1-U0-G2
□	2	LT-2B (PHASE 1)	MCGRAW: GLNA-AF-01-LED-E1-SL4-7030-HSS	0.850	4446	59	15	B0-U0-G2
□	2	LT-2C (PHASE 1)	MCGRAW: GLNA-AF-02-LED-E1-SL4-7030-HSS	0.850	8687	113	15	B1-U0-G2
⊕	32	LT-3	BRUCK: EXT-4UD-30K-90-UNV-BK	0.850	1411	18.49	8	B1-U4-G0

Calculation Summary							
Label	CalcType	Units	Avg	Max	Min	Avg/Min	Max/Min
20' From Site	Illuminance	Fc	0.07	3.4	0.0	N.A.	N.A.
Phase 1 - Parking 1	Illuminance	Fc	1.44	2.5	0.6	2.40	4.17
Phase 1 - Parking 2	Illuminance	Fc	1.68	2.6	0.6	2.80	4.33
Phase 1 - Parking 3	Illuminance	Fc	1.56	2.5	0.5	3.12	5.00
Phase 1 - Parking 4	Illuminance	Fc	1.17	2.0	0.6	1.95	3.33
Phase 1 - Parking 5	Illuminance	Fc	2.01	2.8	0.9	2.23	3.11
Phase 1 - Parking 6	Illuminance	Fc	2.28	3.7	1.5	1.52	2.47
Phase 1 - Parking 7	Illuminance	Fc	3.20	4.4	1.7	1.88	2.59
Phase 1 - Parking 8	Illuminance	Fc	0.80	1.1	0.6	1.33	1.83
Phase 1 - Street	Illuminance	Fc	1.89	4.2	0.5	3.78	8.40
Phase 2 - Parking 10	Illuminance	Fc	2.05	4.2	1.0	2.05	4.20
Phase 2 - Parking 9	Illuminance	Fc	1.86	3.0	0.5	3.72	6.00
Phase 2 - Street	Illuminance	Fc	1.70	4.0	0.2	8.50	20.00

